

13-Axle Steerable Modular Trailer Configuration

13-Axle Steerable



The 13-Axle Steerable Modular Trailer System is designed for maximum versatility and fleet utilization.

Versatility

Interchangeable deck, jeep, and rear configurations allow the trailer to be adapted to a wide range of hauling requirements without the need for a dedicated trailer for every application. Deck styles can be changed as needed, and jeep and rear sections can be swapped between the available configurations offered to suit specific job requirements, including standard and booster ready setups. In addition, the deck system is compatible with our 9-Axle Steerable configuration, further extending cross compatibility across the fleet and improving overall equipment utilization. This Modular design gives operators greater flexibility, reduces equipment redundancy, and allows the system to grow with changing hauling demands.

3+3+3 Straight Frame Jeep

Standard Equipment

12 Tire, 3 Axle Air Ride Straight Frame Jeep

11’-6” Gooseneck, w/ 2 King Pin settings, Removable Tower, 8.25” tower adjustment for weight distribution

Tires;

235/75R17.5 @ 31”HT 16-PLY

Wheels;

6.75 x 17.5 Steel Disc White 8 hole

Axles;

3 x 25,000lbs @ 60” Spacing

Suspension;

Air Ride – Ridewell

Brakes;

S-cam 12.25” x 17.5 with Auto slack adjusters & ABS*



3+3+3 Detachable Neck Jeep

Standard Equipment

12 Tire, 3 Axle Air Ride Detachable Neck Jeep

11’ Gooseneck, w/ 3 King Pin settings, Removable Tower, 8.25” tower adjustment for weight distribution

Tires;

235/75R17.5 @ 31”HT 16-PLY

Wheels;

6.75 x 17.5 Steel Disc White 8 hole

Axles;

3 x 25,000lbs @ 60” Spacing

Suspension;

Air Ride – Ridewell

Brakes;

S-cam 12.25” x 17.5 with Auto slack adjusters & ABS*



Drop Deck

- Deck Specification;
- 10' wide Drop deck design, Length: 28' std
-
- Lighting;
- Maxxima sealed wiring loom system; all LED

- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.

- Accessories;
- Storage Box, 6' Excavator Tray, 1-1/4" LED lights 4 per side of deck





Beam Deck

- Deck Specification;
- 59" wide Beam deck design, Length: 28' std.
-
- Lighting;
- Maxxima sealed wiring loom system; all LED

- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.

- Accessories;
- Storage Box, 6' Excavator Tray, 1-1/4" LED lights 4 per side of deck

Flat Deck

- Deck Specification;
- 10' wide Flat deck design, Length: 28' std.
- Lighting;
- Maxxima sealed wiring loom system; all LED
- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.
- Accessories;
- Storage Box, 6' Excavator Tray, 1-1/4" LED lights 4 per side of deck.



Stretch Deck

- Deck Specification;
- 10' Wide Stretch Deck design, Length: 30'-50’ or 36’-60’
-
- Lighting;
- Maxxima sealed wiring loom system; all LED

- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.

- Accessories;
- Storage Box, 6' Excavator Tray, 1-1/4" LED lights 4 per side of deck,
- Doug Fir 3" Decking



Mini Deck

- Deck Specification;
- 14” Overall, Height,10' wide Flat deck design, Length: 30' std.
- Lighting;
- Maxxima sealed wiring loom system; all LED
- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.
- Accessories;
- Rotating D-Rings, 1-1/4" LED lights 4 per side of deck.



Transformer Deck

- Deck Specification;
- 11” Overall, Height, 10' wide Flat deck design, Length: 24' std.
- Lighting;
- Maxxima sealed wiring loom system; all LED
- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.
- Accessories;
- Storage Box, 6' Excavator Tray, 1-1/4" LED lights 4 per side of deck.





Basket Deck

Deck Specification;

Torque Boxes with Perimeter deck design, Length: 30' std.

Accessories;

4” Low Removable Crossmembers, 1-1/4" LED lights 4 per side of deck

Optional;

80-ton – 100-ton Rating, Rotating D-rings, Deck Extensions

APPROX. WEIGHT (+/-3%); **27,780LBS**

Perimeter Deck

- Gooseneck Specification;
- Expanding necks 12' - 20' on 6" increments, 36" lift on each lifting
- Gooseneck
- Beam Deck Specification;
- 30' Beams
- Lighting;
- Maxxima sealed wiring loom system; all LED
- Paint;
- 2 coats epoxy primer + 2 coats acrylic polyurethane paint
- (Imron Brand); Standard Cozad White or Black.
- Accessories;
- 1-1/4" LED lights 4 per side of deck, LED spot lights, & Road Skids



13-Axle Steerable Dolly w/ Dual Towers

24 Tire, 3 Axle Air Ride Dolly w/ Dual Towers

Hydraulics;

20hp Honda Engine, with 24” lift

Tires;

235/75R17.5 @ 31”HT 16-PLY

Wheels;

6.75 x 17.5 Steel Disc White 8 hole

Axles;

3 x 25,000lbs @ 60” Spacing

Suspension;

Air Ride – Ridewell

Brakes;

S-cam 12.25” x 17.5 with Auto slack adjusters & ABS*



13-Axle Booster



6-Axle Dolly





Cozad Trailer Sales, LLC
4907 E. Waterloo Road, Stockton, CA 95215-2096
TEL: 209-931-3093 FAX: 209-931-0239
WWW.COZADTRAILERS.COM